

PRODUCT SPECIFICATION SHEET

ThinkHub[®] PRO


For use with single 4K/5K display, or multiple displays using optional CPU/GPU configurations

ThinkHub consolidates the moving pieces of teamwork - devices, applications, people, ideas, and content - to revolutionize your ability to achieve great work, together. Whether you're giving a presentation, running a brainstorming session, or strategizing with your team - use ThinkHub to engage with your peers and cultivate exceptional work anytime, anywhere.


SKU	CX-062M2-THP
Target Applications	
	Classrooms Huddle Spaces Briefing Centers Board Rooms Corporate Lobbies Design Centers Training Rooms Executive Offices Libraries Innovation Labs
Room Types	
Room Size	Medium to Large (3-25+ people)
Display Requirements	
Display Resolution (W x H)	3840 x 2160 (supports larger resolutions with optional configuration)
ThinkHub Device	
Dimensions (W x H x D)	21.2in x 19in x 8.7in (5RU)
Weight	40 lbs
Resolution	Portrait: up to 2160x3840 @ 60hz, Landscape: up to 3840x2160 @ 60hz
Power Consumption	Max: 1280 W
Thermal Output	Max: 4367 BTU/h
Storage / RAM	1TB SSD / 192GB
Processor + GPU	Apple M2 Ultra with 24-core CPU, 76-core GPU, 32-core Neural Engine
Network	Wired 10Gbps (preferred) Optional Wi-Fi 6E (802.11ax)2
Built-in Protocol	AirPlay and T1V app
I/O	(2) USB-A 3.0 (2) Ethernet 10G Base-T 3.5mm Stereo Out (8) Thunderbolt 3 (2) HDMI (24) Optional Hardline Inputs*
* standard hardline inputs accept 1080p video sources, which will be viewed at @30 Hz; 4K also supported, but each 4K source = 4 1080p sources	
Hardware Warranty	2 years
BYOD Connectivity	
AirPlay	macOS / iOS platforms
Recommended bandwidth per live stream	typical: 300 kb/s max: 11 mb/s
Streaming Media	Stream 1080p at 30fps w/synchronized audio (iOS)
T1V app	macOS, iOS, Windows, Android, Linux platforms
Recommended bandwidth per live stream	typical: 300 kb/s max: 3 mb/s
Streaming Media	Stream 1080p at 30fps w/synchronized audio (macOS, Windows)
User Capacity	50 simultaneous participants
Wireless Device Connectivity	No dongle needed; toggle between users via the T1V app
TouchControl™	Unlimited TouchControl™ device remote control on Windows, macOS
Network Modes	Direct Mode: Compatible with a single subnet and/or multiple subnets World Mode: Developed for environments where Direct Mode is not possible (due to network architecture or security restraints)

ThinkHub Device

*Video / USB extenders sold separately



front view



rear view

